

CURLOPT\_CHUNK\_END\_FUNCTION(3) curl\_easy\_setopt options CURLOPT\_CHUNK\_END\_FUNCTION(3)

## NAME

CURLOPT\_CHUNK\_END\_FUNCTION – callback after a transfer with FTP wildcardmatch

## SYNOPSIS

```
#include <curl/curl.h>
```

```
long chunk_end_callback(void *ptr);
```

```
CURLcode curl_easy_setopt(CURL *handle, CURLOPT_CHUNK_END_FUNCTION,  
                           chunk_end_callback);
```

## DESCRIPTION

Pass a pointer to your callback function, which should match the prototype shown above.

This function gets called by libcurl as soon as a part of the stream has been transferred (or skipped).

Return *CURL\_CHUNK\_END\_FUNC\_OK* if everything is fine or **CURL\_CHUNK\_END\_FUNC\_FAIL** to tell the lib to stop if some error occurred.

## DEFAULT

NULL

## PROTOCOLS

FTP

## EXAMPLE

TODO

## AVAILABILITY

Added in 7.21.0

## RETURN VALUE

Returns CURLE\_OK if the option is supported, and CURLE\_UNKNOWN\_OPTION if not.

## SEE ALSO

**CURLOPT\_WILDCARDMATCH(3)**, **CURLOPT\_CHUNK\_BGN\_FUNCTION(3)**,